

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) An outside mirror for a vehicle, comprising:  
a mirror base configured to mount to the vehicle;  
a mirror housing connected to the mirror base;  
an image capturing unit; and  
a visible-light emitting unit that emits visible light, wherein  
the visible-light emitting unit is arranged such that the visible light emitted does not  
directly enter into the image capturing unit,  
the image capturing unit and the visible-light emitting unit mounted in the mirror  
housing, and  
the visible-light emitting unit functions as any one of a side-turn lamp, a side marker  
lamp, or a turn lamp of a front combination lamp of the vehicle.
2. (Canceled).
3. (Previously Presented) The outside mirror according to claim 1, wherein the  
visible-light emitting unit includes a visible-light distribution controller that controls  
distribution of the visible light emitted within a predetermined range, wherein the visible-  
light distribution controller is configured as a reflector or a prism.
4. (Original) The outside mirror according to claim 1, further comprising a lens that  
transmits the visible light emitted.
5. (Original) The outside mirror according to claim 1, wherein the visible-light  
emitting unit is provided as a unit part.
6. (Previously Presented) The outside mirror according to claim 1, wherein the image  
capturing unit has a mechanism configured to be tilted by manual operation or by remote

operation.

7. (Previously Presented) The outside mirror according to claim 1, further comprising:

an infrared emitting unit that emits infrared radiation.

8. (Canceled).

9. (Original) The outside mirror according to claim 7, wherein the visible-light emitting unit includes a visible-light distribution controller that controls distribution of the visible light emitted within a predetermined range.

10. (Previously Presented) The outside mirror according to claim 7, wherein the infrared emitting unit includes an infrared radiation distribution controller that controls distribution of the infrared radiation emitted within a predetermined range; and the visible-light emitting unit includes a visible-light distribution controller that controls distribution of the visible light emitted within a predetermined range.

11. (Original) The outside mirror according to claim 7, further comprising a first lens that transmits the visible light emitted.

12. (Previously Presented) The outside mirror according to claim 7, further comprising a second lens that transmits the infrared radiation emitted.

13. (Original) The outside mirror according to claim 7, wherein the infrared emitting unit is provided as a unit part.

14. (Previously Presented) The outside mirror according to claim 7, wherein the infrared emitting unit includes an infrared source, the infrared source includes at least one infrared light-emitting-diode that emits the infrared radiation,

the visible-light emitting unit includes a visible-light source, and  
the visible-light source includes at least one visible light-emitting-diode that emits the visible light.

15. (Previously Presented) The outside mirror according to claim 14, wherein the infrared light-emitting-diode is mounted on one surface of a substrate, and the visible light-emitting-diode is mounted on an other surface of the substrate.

16. (Original) The outside mirror according to claim 15, wherein both the infrared light-emitting-diode and the visible light-emitting-diode are surface-mounted.

17. (Original) The outside mirror according to claim 15, wherein the substrate is a flexible substrate.

18. (Previously Presented) The outside mirror according to claim 7, wherein the image capturing unit has a mechanism configured to be tilted by manual operation or by remote operation.

19. (Previously Presented) An outside mirror for a vehicle, comprising:  
a mirror base configured to mount to the vehicle;  
a mirror housing connected to the mirror base;  
an image capturing unit; and  
a visible-light emitting unit that emits visible light, wherein  
the image capturing unit captures an image of an area illuminated by the visible-light emitted or near the area, and  
the visible-light emitting unit is arranged such that the visible light emitted does not directly enter into the image capturing unit, the image capturing unit and the visible-light emitting unit mounted in the mirror housing, and  
the visible-light emitting unit functions as any one of a side-turn lamp, a side marker lamp, or a turn lamp of a front combination lamp of the vehicle.

20. (Previously Presented) An outside mirror for a vehicle, comprising:  
a mirror base configured to mount to the vehicle;  
a mirror housing connected to the mirror base;  
an image capturing unit; and  
a visible-light emitting unit that emits visible light, wherein  
the visible-light emitting unit illuminates an area where the image capturing unit  
captures an image or near the area, the image capturing unit and the visible-light emitting unit  
mounted in the mirror housing, and  
the visible-light emitting unit is arranged such that the visible light emitted does not  
directly enter into the image capturing unit, and  
the visible-light emitting unit functions as any one of a side-turn lamp, a side marker  
lamp, or a turn lamp of a front combination lamp of the vehicle.

21. (New) The outside mirror according to claim 7, wherein  
the image capturing unit captures information in an image capturing range, and  
the infrared emitting unit includes an infrared radiation distribution controller that  
controls distribution of the infrared radiation emitted within a predetermined range which is  
substantially the same as or wider than the image capturing range.